



Inter-ELM filamentary studies during density “shoulder” formation in ASDEX Upgrade

Costea, S.; Carralero, D.; Madsen, Jens; Vianello, N.; Naulin, Volker; Nielsen, Anders Henry; Rasmussen, Jens Juul; Schrittwieser, R.; Ionita, C.; Spolaore, M.

Total number of authors:
11

Publication date:
2016

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Costea, S., Carralero, D., Madsen, J., Vianello, N., Naulin, V., Nielsen, A. H., Rasmussen, J. J., Schrittwieser, R., Ionita, C., Spolaore, M., & Kovacic, J. (2016). *Inter-ELM filamentary studies during density “shoulder” formation in ASDEX Upgrade*. Abstract from 43rd EPS Conference on Plasma Physics, Leuven, Belgium.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Inter-ELM filamentary studies during density “shoulder” formation in ASDEX Upgrade

S. Costea¹, D. Carralero², J. Madsen³, N. Vianello^{4,5}, V. Naulin³, A. H. Nielsen³,
J. J. Rasmussen³, R. Schrittwieser¹, C. Ionita¹, M. Spolaore⁵, J. Kovacic⁶,
the ASDEX Upgrade team² and the EUROfusion MST1 Team⁷

¹*Institute for Ion Physics and Applied Physics, University of Innsbruck, Austria*

²*Max-Planck-Institute for Plasma Physics, Garching near Munich, Germany*

³*Department of Physics, Technical University of Denmark, Kgs. Lyngby, Denmark*

⁴*Swiss Plasma Center, Ecole Polytechnique Fédérale de Lausanne, Switzerland*

⁵*Consorzio RFX, Padova, Italy*

⁶*Jozef Stefan Institute, Ljubljana*

⁷See <http://www.euro-fusionscipub.org/mst1>

Particles and energy frequently escape the confined region of tokamaks in the form of filaments elongated along the magnetic field lines propagating radially towards the wall. The filaments contribute to the plasma-wall interaction in form of heat-load and wall sputtering, thus affecting the lifetime of plasma facing components. Recent studies¹⁻⁴ showed that during high density operation the scrape-off-layer (SOL) plasma exhibits a broadening of the density profile (named “shoulder”) assumed to be associated with the transition from the sheath-connected to the inertial regime of filamentary transport, i.e. when perpendicular transport dominates over the parallel one. Results from AUG and JET indicate a link between “shoulder” formation, divertor detachment and increased collisionality in the divertor region⁴. Analyses in these two devices in L-mode scenarios suggested that the normalized collisionality is the parameter determining the transition, in good agreement with the analytic filamentary model⁵. Presently, in the framework of EUROfusion experiments, an investigation of the extension of this model to H-mode plasma is under way. Floating potential and ion-saturation current signals (as good estimate for the local plasma density) from the midplane SOL plasma in ASDEX Upgrade tokamak have been analysed during L-mode and H-mode inter-ELM intervals with and without nitrogen seeding in the divertor region. A detailed characterisation of filamentary transport is presented with attention to the normalized collisionality in the divertor. The ongoing analysis of experimental data will address previous and newer evaluation techniques in relation to the latest experiments from 2015 and 2016 which focus on H-Mode conditions at high density extending our work to more reactor relevant scenarios.

¹ B. LaBombard, et al., *Phys. Plasmas* **8**, 2107 (2001).

² O.E. Garcia, et al., *Nucl. Fusion* **47**, 667–676 (2007).

³ H.W. Müller, et al., *J. Nucl. Mat.* **463**, 739–743 (2015).

⁴ D. Carralero, et al., *J. Nucl. Mat.* **463**, 123–127 (2015).

⁵ J.R. Myra, et al., *Phys. Plasmas* **13**, 112502 (2006).